

## NOMENCLATURE MH Aluminum Coils

|                            |               |                      |                         |  |                                     |  |                   |                          |
|----------------------------|---------------|----------------------|-------------------------|--|-------------------------------------|--|-------------------|--------------------------|
| 96                         | A             | 8                    | Y                       | 4  | D                                   |  | O                 | P                        |
| Series 96 / 97 / 98 Series | Aluminum Tube | Fin Length           | # Rows                  | Nominal Height   | TXV                                 | Piston   | Description       | Drain Pan                |
| MH coil Series             | A = Aluminum  | 8 = 16"<br>9 = 17.5" | P = 2<br>Y = 3<br>H = 4 | 2 = 14"<br>3 = 16"<br>4 = 18"<br>5 = 20"<br>6 = 22"<br>7 = 24" | D - R410A<br>Y - R410A<br>Z - R410A | A = 49<br>E = 55<br>9 = 59<br>H = 61<br>J = 63<br>K = 68<br>1 = 71<br>M = 73<br>N = 76<br>O = 80<br>2 = 82<br>R = 84<br>U = 86<br>W = 90<br>6 = 96 | Solder connection | P = Plastic<br>X = Metal |

P means - 3/8 Rifled 2 Roll (1.00x0.866 -14 FPI Lanced)  
 Y means - 3/8 Rifled 3 Roll (1.00x0.866 -14 FPI Lanced)  
 H means - 3/8 Rifled 4 Roll (1.00x0.866 -12 FPI Lanced)

| Model #    | Width | Depth   | Height | Wt. | Qty. per pallet | Tonnage        | Model #    | Width | Depth   | Height | Wt. | Qty. per pallet | Tonnage          | Model #    | Width | Depth   | Height | Wt. | Qty. per pallet | Tonnage          |
|------------|-------|---------|--------|-----|-----------------|----------------|------------|-------|---------|--------|-----|-----------------|------------------|------------|-------|---------|--------|-----|-----------------|------------------|
| 96A8P2D-OP | 18    | 19 5/8" | 14"    |     | 20              | 1.5 thru 2 Ton | 96A8Y2D-OP | 18    | 19 5/8" | 14"    |     | 20              | 1.5 thru 2 Ton   | 96A8H2D-OP | 18    | 19 5/8" | 14.5"  |     | 20              | 1.5 thru 3 Ton   |
| 96A8P3D-OP | 18    | 19 5/8" | 16"    |     | 20              | 1.5 thru 2 Ton | 96A8Y3D-OP | 18    | 19 5/8" | 16"    |     | 20              | 1.5 thru 2.5 Ton | 96A8H3D-OP | 18    | 19 5/8" | 16.5"  |     | 20              | 1.5 thru 3 Ton   |
| 96A8P4D-OP | 18    | 19 5/8" | 18"    |     | 16              | 1.5 thru 2 Ton | 96A8Y4D-OP | 18    | 19 5/8" | 18"    |     | 16              | 1.5 thru 3 Ton   | 96A8H4D-OP | 18    | 19 5/8" | 18.5"  |     | 16              | 1.5 thru 3 Ton   |
| 97A8P5D-OP | 18    | 19 5/8" | 20"    |     | 16              | 2 thru 2.5 Ton | 97A8Y5Y-OP | 18    | 19 5/8" | 20"    |     | 16              | 2.5 thru 3.5 Ton | 97A8H5Y-OP | 18    | 19 5/8" | 20.5"  |     | 16              | 2.5 thru 3.5 Ton |
| 98A8P6D-OP | 18    | 19 5/8" | 22"    |     | 12              | 2.5 thru 3 Ton | 98A8Y6Y-OP | 18    | 19 5/8" | 22"    |     | 12              | 3.5 thru 4 Ton   | 98A8H6Y-OP | 18    | 19 5/8" | 22.5"  |     | 12              | 3.5 thru 4 Ton   |
| 98A8P7D-OP | 18    | 19 5/8" | 24"    |     | 12              | 2.5 thru 3 Ton | 98A8Y7Y-OP | 18    | 19 5/8" | 24"    |     | 12              | 3.5 thru 4 Ton   | 98A8H7Y-OP | 18    | 19 5/8" | 24.5"  |     | 12              | 3.5 thru 5 Ton   |